### FINAL REPORT

## Density Variations and Other Parameters from UARS Wind Measurements 30 April 2005 DOD AFOSR Award No. F49620-03-1-0220

1 Measurements 

Research Litle:	Research Ittle: Global Indal Variations in Density and Other Parameters from UARS Wind I
Principal Investigator: _	Principal Investigator: Jeffrey M. Forbes, Professor
Commercial Phone: 303-492-4359	: 303-492-4359 FAX: 303-492-7881
Mailing Address: Deps 429   Univ Boul	Mailing Address: Department of Aerospace Engineering Sciences 429 UCB University of Colorado Boulder, CO 80309-0429
E-Mail Address	forther monado edu

### General:

Research Objectives:

■ Improve neutral and ionospheric density specification and prediction; understand the processes responsible for thermosphere-ionosphere variability.

David Byers, Major, USAF

AFOSR Program Manager:

#### Specific:

Translate UARS tidal wind measurements at 95 km to global estimates of winds, densities and temperatures due to tides propagating upwards from the lower atmosphere; and

## 20050520 012

## Fiscal Year Funding Summary (\$K):

In House	Capital	Subcontr	Total
	Equip.	actor	
	\$5,000		
	each)		
	N/A	N/A	
\$48,565			\$48,565

## Summary of Accomplishments:

The following tasks have been completed, and results obtained:

HMEs obtained from monthly fits to the UARS data to extrapolate the global, multi-variable tidal structure. A web site We have demonstrated this self-consistency with a proxy data set, and then use a linear weighted superposition of the (temporarily, http://odo.colorado.edu/~asvoboda/hmes\_frame.html) has been set up wherein users can obtain specifications ■ A self-consistent global climatology, useful for comparing radar observations from different locations around the globe, has been created from space - based UARS horizontal wind measurements. The climatology created includes tidal structures for horizontal winds, temperature and relative density, and is constructed by fitting local (in latitude and height) UARS wind data at 95 km to a set of basis functions called Hough Mode Extensions (HMEs). These basis functions are of amplitudes and phases of diurnal temperatures, densities and winds at any latitude and longitude, and altitudes between numerically computed modifications to Hough Modes and are globally self-consistent in wind, temperature and density. 80 and 120 km, based on the fits to the UARS wind measurements.

■ Temperatures between 25 and 86 km measured by the Microwave Limb Sounder (MLS) experiment on the Upper

migrating (s = 3) terdiurnal tide and the stationary planetary wave with s = 1. The latter may reflect the presence of a longitude-dependent local heat source, or nonlinear interaction between migrating diurnal tidal fields driven by such a source, with local fields associated with a stationary planetary wave with s = 1. The present results provide a rich mixture winds at 95 km within the context of tidal theory. Although not definitive, this result is consistent with no bias in the UARS/HRDI winds at 95 km, suggesting that source of the well-known inconsistency between winds measured from the non-migrating diurnal tides with s = 0 and s = 2. The former are likely to arise from nonlinear interaction between the of observational results to challenge both mechanistic and general circulation models of the middle atmosphere. In addition, internal consistency is established between the MLS tidal temperatures at 86 km and previously derived tidal Atmosphere Research Satellite (UARS) have been analyzed to delineate diurnal, semidiumal and terdiurnal tidal structures and stationary planetary waves. These Fourier components are determined from temperatures averaged in bins covering 5° wavenumbers s = 0, 2, -3 [s > 0 (s < 0) implying westward (eastward) propagation] and semidiurnal tides with s = 1 and 3, The seasonal-latitudinal and height structures of these components are now revealed, and utilized to aid in interpreting their behaviors and ascertaining their origins. New discoveries include the terdiurnal s = 2 and s = 4 components, and trapped latitude, 30° longitude and 1 hour in local time. This study confirms the presence of diurnal non-migrating tides with zonal and some components of lesser importance, that were previously determined from UARS wind measurements near 95 km. ground and space to primarily reside in the radar wind measurements. ■ Two presentations describing the above results have been made, and two journal articles have been submitted for

chronologically in bibliography format. Attach reprints. List only invention disclosures derived from this specific research engineer who contributed to the research during the year. Publication of articles derived from the research should be listed instructions: Provide all information identified below for the last FY only, "Personnel" should include each scientist or effort. Honors may include recognition both inside and outside the academic and Air Force science & technology (S&T) communities. Extended scientific visits may include collaboration with other research programs, both foreign and US.

#### Personnel:

	Name	Degree	Discipline	Involvement	
Air Force Employees	N/A/				
In House Employees	Ms. Xiaoli Zhang Prof. Jeff Forbes	M.S. Ph.D.	Data Analysis 3.0 mos. Atmos. Sci. 0.45 mos.	3.0 mos. 0.45 mos.	
On-site Contractors	N/A				
Visitors	N/A				

#### Publications:

Migrating and Non-Migrating Solar Tides as Revealed by Measurements of Mesosphere Temperature by the MLS Experiment on UARS, Jeffrey M. Forbes, Dong Wu, and Xiaoli Zhang, submitted to J. Atmos. Sci., 2005.

A Space-Based Climatology of MLT Winds, Temperatures and Densities from UARS Wind Measurements, Aaron A. Svoboda, Jeffrey M. Forbes, S. Miyahara, submitted to J. Atmos. Solar-Terr. Phys., 2004.

# Invention Disclosures and Patents Granted: N/A

# Invited Lectures, Presentations, Talks, etc.:

Using Hough Mode Extensions (HMEs) for Comparative Data Analysis of Atmospheric Tides, by A. Svoboda, J.M. Forbes, and S. Miyahara, presented at the 2004 CEDAR Workshop, Santa Fe, NM, June 27 - July 2, 2004.

S

On the use of Hough Mode Extensions (HMEs) to fit Tidal Structures from SABER and TIDI Measurements, by J.M. Forbes, A. Svoboda, X. Zhang, S. Miyahara and Y. Miyoshi, presented at the Fall 2003 meeting of the AGU.

Professional Activities (editorships, conference and society committees, etc.): N/A

Honors Received (include lifetime honors such as Fellow, honorary doctorates, etc., stating year elected): N/A

Extended Scientific Visits From and To Other Laboratories: N/A

Appendix B: Off-Site Contract and Grant Activities

should be listed chronologically in bibliography format. Attach reprints. List only invention disclosures derived from this Instructions: Provide all information identified below for the last FY only. Publication of articles derived from the research specific research effort.

Publications: N/A

Invention Disclosures: N/A

Appendix C: Technology Transitions/Transfers Detailed Listing

Performer (name, telephone, and organization)	Customer (s) (name & organization)	Research Result (scientific statement )	Application (technical benefit(s) and/or customer useB List and underline any military applications first)	Transitioned To	Transitioned From	Application
N/A	N/A	N/A	N/A			

Note: In the last three columns enter the following codes:

From: Transitioned To:	I = I Industry = I	= I Air Force 6.2 or 6	ia = A Other AF, DoD, o
Transitioned From	AFRL = L	Industry = 1	Academia = A

astry = I

Force 6.2 or 6.3 = AF

er AF, DoD, or Government = O

Application:

Product (New or Improved) = Pd

Process (New or Improved) = Pc

Other Technology Benefit = O

#### REPORT DOCUMENTATION PAGE

AFRL-SR-AR-TR-05-

Public reporting burden for this collection of information is	estimated to average 1 hour per response, including the time for revi
	ng this collection of information. Send comments regarding this burd
	fense, Washington Headquarters Services, Directorate for Information
1204, Arlington, VA 22202-4302. Respondents should b	e aware that notwithstanding any other provision of law, no person sha.
nformation if it does not display a currently valid OMB con	ntrol number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOV
1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE
20 4 2005	1 TETRIAT

0156

ig Suite

information if it does not display a currently valid OMB con	trol number. PLEASE DO NOT RETURN YOUR FORM TO TH	E ABOVE ADDRESS.
1. REPORT DATE (DD-MM-YYYY)	2. REPORT TYPE	3. DATES COVERED (From - To)
30 Apr 2005	FINAL	1 Mar 2003 – 31 Dec 2004
4. TITLE AND SUBTITLE		5a. CONTRACT NUMBER
Final Report Density Variations and C	Other Parameters from UARS Wind Measu	stements 5b. GRANT NUMBER
I mai report, Bonoity variations and	The state of the s	F49620-03-1-0220
		5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)		5d. PROJECT NUMBER
Jeffrey M. Forbes		
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(	S) AND ADDRESS(ES)	8. PERFORMING ORGANIZATION REPORT
University of Colorado, Boulder, CO 80309-0429		•
9. SPONSORING / MONITORING AGENCY	( NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S
	.,	ACRONYM(S)
		AFOSR/NM
DOD AF AFOSR/NM		
801 N. Randolph St. Room 732		11. SPONSOR/MONITOR'S REPORT
Arlington, VA 22203-1977	<del>5</del> .	NUMBER(S)
12. DISTRIBUTION / AVAILABILITY STAT		
unlimited	DISTRIBUTION ST Approved for Pub	ATEMENT A
	Distribution Ur	nlimited
13. SUPPLEMENTARY NOTES		
***		

#### 14. ABSTRACT

A methodology is developed for fitting determinations of tidal winds using a set of basis functions called Hough Mode Extensions (HMEs), which can then be used to estimate densities, winds, temperatures and vertical velocities, in height and latitude regimes where measurements do not exist. The methodology is validated via application to output from a general circulation model, and then is applied to actual space-based measurements. A web site has been set up for user access. The method can also be used to provide monthly-mean measurement-based tidal lower boundary conditions (at any height between 80 and 100 km) for existing and future general circulation models of the thermosphere-ionosphere system. In addition, internal consistency is established between the MLS tidal temperatures at 86 km and previously derived tidal winds at 95 km within the context of tidal theory. Although not definitive, this result is consistent with no bias in the UARS/HRDI winds at 95 km, suggesting that source of the well-known inconsistency between winds measured from the ground and space to primarily reside in the radar wind measurements.

15. SUBJECT TERMS tides, density, variability, thermosphere 16. SECURITY CLASSIFICATION OF: 17. LIMITATION 18. NUMBER 19a. NAME OF RESPONSIBLE OF ABSTRACT OF PAGES a. REPORT b. ABSTRACT c. THIS PAGE 19b. TELEPHONE NUMBER (include UU U area code) 5